

KMR 1355-1 G

RangeTop with 6 burners and grill for versatility and performance



- Professional design 48 (1,219)Inch wide in stainless steel with Clean Touch Steel™ finishing
- Direct control metal knobs with light ring
- Easy cleaning ComfortClean dishwasher-safe grates
- Broad performance spectrum burner w. up to 19,500 BTU (5.7 kW)
- Convenient and safe automatic reignition for all burners

EAN: 4002516051763 / material number: 10833880

LAN. 40023100317037 Material Humber. 10033000	
Type of heating	
Fuel type	Gas
Construction type	
Rangetop	•
Design	
Casing	Stainless steel
Front panel	CleanSteel
Cooktop surround	<u> </u>
Genuine metal knobs	<u> </u>
Cast iron pot rest (matte black enameled)	•
Ring features	
Number of gas burners	6
Number of grill surfaces	1
Ring	
Position	front left
Type	Ultra high-speed burner
Max. rating in W	5700
Position	rear left
Type	High-speed burner
Max. rating in W	2900
Position	left centre
Type	Grill surface
Max. rating in W	5600
Position	Rear centre right
Type	Ultra high-speed burner
Max. rating in W	4000
Position	rear right
Туре	High-speed burner
Max. rating in W	2900
Position	front right
Type	Ultra high-speed burner
Max. rating in W	5700
Position	Centre right front
Туре	Ultra high-speed burner
Max. rating in W	5700
True Simmer function	•
Width of broil surface in in.(mm)	11 1/4 (284)
Depth of broil surface in in.(mm)	22 1/8 (560)
Control panel	22 170 (000)
Operation via genuine metal knobs with backlit	•
Cleaning convenience	
Dishwasher-safe trivets	•
Single-piece cooktop surround	•
Safety	
Automatic re-ignition	•
Accordate to Igritteri	

More information at www.MieleUSA.com



KMR 1355-1 G

RangeTop with 6 burners and grill for versatility and performance




Technical data	
Dimensions in in. (width)	48 (1,219)
Dimensions (height) in in.(mm)	7 5/8 (191)
Dimensions (depth) in in. (mm) with bullnose	27 1/4 (692)
Dimensions (depth) in in. (mm) without bullnose	25 5/8 (650)
Weight in lbs. (kg)	160 (73)
Total connected load in kW	35.7
Voltage in V	120
Fuse rating in A	10
Number of phases	1
Power cord length in m	3 (1.2)

Miele

KMR 1355-1 G

RangeTop with 6 burners and grill for versatility and performance





KMR 1354 G/LP, KMR 1355 G/LP, KMR 1356 G/LP (installation drawings)

- Side view
 Front view
 Rear view
 Gas connection
 Electrical connection