WAC LIGHTING

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15912 12"	3000K 90	BK Black	10W	800	331	Yes

Example: WS-W15912-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

ACLED driverless technology

• 5 year warranty

SPECIFICATIONS	
Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,IP65,Title 24 JA8-2019 Compliant,Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser



Fixture Type: Catalog Number:


Project:

Location:

FINISHES:



LINE DRAWING:



WS-W15912

WAC LIGHTING

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15918 18"	3000K 90	BK Black	13W	1000	435	Yes

Example: WS-W15918-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

ACLED driverless technology

• 5 year warranty

SPECIFICATIONS	
Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,IP65,Title 24 JA8-2019 Compliant,Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser



Fixture Type: Catalog Number:


Project:

Location:

FINISHES:



LINE DRAWING:



WS-W15918

WAC LIGHTING

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15924 24"	3000K 90	BK Black	16W	1200	571	Yes

Example: WS-W15924-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

ACLED driverless technology

• 5 year warranty

SPECIFICATIONS	
Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	54000 Hours
Standards:	ETL, cETL,IP65,Title 24 JA8-2019 Compliant,Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser



Fixture Type: Catalog Number:


Project:

Location:

FINISHES:



LINE DRAWING:



waclighting.com | Phone (800) 526.2588 | Fax (800) 526.2585 | Headquarters/Eastern Distribution Center 44 Harbor Park Drive Port Washington, NY 11050 WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. April 2022